

Notified Body No. 2812

## Certificate of Constancy of Performance

### 2812-CPR-AG7972

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Cal-Royal Products Inc. CRP EU6410 Mortice Deadlocks See Annex A

**Intended use: For use on fire/smoke compartmentation doors**

Essential characteristics	Performance	Harmonised technical specification
Mechanical test evidence: WIL 322916, WIL 324284, WIL 349888-2 Fire test evidence: WF 428615		
Self-closing 5.4.2 Closing force	NPD	EN 12209:2003 / AC:2005
5.1.2 Re-latching force of latch bolt	NPD	
Durability of self-closing 5.3.1 Durability of latch action	NPD	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1: suitable for use on fire/smoke resistant door assemblies	
Dangerous substances	Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

## Certificate of Constancy of Performance

**2812-CPR-AG7972**

Placed on the market under the name of:

**Cal-Royal Products Inc.  
6605 Flotilla St. Commerce, CA 90040  
USA**

and produced in the manufacturing plant

**J/329**

**This is coded format and the information is held by the Notified Body**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard:

**EN 12209:2003 / AC:2005**

Under System 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **17/11/2022** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

CE Marking certificate valid to: **14/11/2024**

ERO Project Reference: **ERO 034621 P1791**



Paul Duggan  
Certification Manager

## Certificate of Constancy of Performance

### 2812-CPR-AG7972

#### Annex A

Mortice Deadlocks		
Model No.	Backset	Distance
EU6410/45/72	45mm	72mm
EU6410/45/85	45mm	85mm
EU6410/50/72	50mm	72mm
EU6410/50/85	50mm	85mm
EU6410/55/72	55mm	72mm
EU6410/55/85	55mm	85mm
EU6410/60/72	60mm	72mm
EU6410/60/85	60mm	85mm
EU6410/65/72	65mm	72mm
EU6410/65/85	65mm	85mm

CSF408-NL 7.0