


GENESYS Series

**HEAVY DUTY CYLINDRICAL LEVERSETS WITH CLUTCH,
ANSI - A156.2, SERIES 4000, GRADE 1**

Optional Interchangeable Core for **BEST, FALCON & ARROW**



**LIFETIME
WARRANTY**



MEETS
The Buy American Act





REFER TO PRICE LIST FOR STOCK, FUNCTION AND FINISHES

FUNCTIONS	ANSI	ITEM#	FINISHES					PCS / MC																		
Entrance	F109	CGN00	US26D	US32D	US1	US10BE, 10, 3, 4	US26	10																		
		ICCGN00																								
Entrance Push Button Lock	F82	CGN01																								
		ICCGN01																								
Store lock - Non Clutch (keyed Dbl. cyl.)	F91	GN02	US26D			US10BE, 10, 3, 4																				
		ICGN02																								
Classroom	F84	CGN03				US32D	US1		US10BE, 10, 3, 4	US26																
		ICCGN03																								
Communicating (keyed Dbl. cyl.)	F80	CGN04																								
		ICCGN04																								
Storeroom	F86	CGN05				US32D	US1		US10BE, 10, 3, 4	US26																
		ICCGN05																								
Vestibule	F88	CGN06																								
		ICCGN06																								
Classroom / Intruder	F110	CGN07																								
		ICCGN07																								
Dormitory (Non-Clutch)	F90	GN101																								
		ICGN101																								
Institution (keyed Dbl. cyl.)	F87	CGN09																				US32D		US10BE,10, 3, 4	US26	
		ICCGN09																								
Privacy	F76	CGN20																				US32D	US1	US10BE,10, 3, 4	US26	
Hospital Privacy	---	HCGN20																								
Passage	F75	GN30																				US32D	US1	US10BE, 10, 3, 4	US26	
Exit	F89	GN50																								
Single Dummy	----	GN40						US26D															US1	US10BE,10, 3, 4	US26	20

(IC) Indicates function available with **Best, Falcon and Arrow** Interchangeable Core.
For IC Core list see pages **L119 – L120**. For Keying list see page **L129**.

HEAVY DUTY CYLINDRICAL LEVERSETS WITH CLUTCH ANSI - A156.2, SERIES 4000, GRADE 1

Optional Interchangeable Core for **BEST, FALCON & ARROW**



**LIFETIME
WARRANTY**

**BHMA
CERTIFIED**
Be Safe. Be Secure. Look for the Mark.

HURRICANE APPROVED HARDWARE
FLORIDA BUILDING CODE
FL13922-R8
ASTM E230-02 &
E1886-05/1996-06
TAS 201, 202, 203-04
UL10C-09

UL US
3 HOUR FIRE RATED
UL10C, UBC7-2-1997

MEETS
The Buy American Act

HURRICANE APPROVED HARDWARE
TEXAS EVALUATION ID
DR-472
ASTM E230-14/
E1886-13a/
E1996-14a

QUANTITY DISCOUNT
UP TO 30 UNITS MIXED ► STANDARD DISCOUNT ONLY
31 - 60 UNITS MIXED ► ► LESS 5%
61 AND MORE UNITS MIXED ► ► LESS 10%


REFER TO PRICE LIST FOR STOCK, FUNCTION AND FINISHES

FUNCTIONS	ANSI	ITEM#		FINISHES			PCS / MC
Entrance	F109	CAT00	CSPA00	US26D	US1	US10BE, 26, 10, 3, 4	10
		⌘ ICCAT00	⌘ ICCSPA00				
Entrance Push Button Lock	F82	CAT01	CSPA01				
		⌘ ICCAT01	⌘ ICCSPA01				
Store lock - Non Clutch (keyed Dbl. cyl.)	F91	AT02	SPA02			US10BE, 26, 10, 3, 4	
		⌘ ICAT02	⌘ ICSPA02				
Classroom	F84	CAT03	CSPA03			US10BE, 26, 10, 3, 4	
		⌘ ICCAT03	⌘ ICCSPA03				
Communicating (keyed Dbl. cyl.)	F80	CAT04	CSPA04	US26D		US10BE, 26, 10, 3, 4	
		⌘ ICCAT04	⌘ ICCSPA04				
Storeroom	F86	CAT05	CSPA05			US10BE, 26, 10, 3, 4	
		⌘ ICCAT05	⌘ ICCSPA05				
Vestibule	F88	CAT06	CSPA06			US10BE, 26, 10, 3, 4	
		⌘ ICCAT06	⌘ ICCSPA06				
Classroom / Intruder	F110	CAT07	CSPA07				
		⌘ ICCAT07	⌘ ICCSPA07				
Institution (keyed Dbl. cyl.)	F87	CAT09	CSPA09			US10BE, 26, 10, 3, 4	
		⌘ ICCAT09	⌘ ICCSPA09				
Privacy	F76	CAT20	CSPA20			US10BE, 26, 10, 3, 4	
Hospital Privacy	---	HCAT20	HCSPA20				
Passage	F75	AT30	SPA30			US10BE, 26, 10, 3, 4	
Exit	F89	AT50	SPA50				
Single Dummy	----	AT40	SPA40	US26D		US10BE, 26, 10, 3, 4	20

⌘ (IC) Indicates function available with **Best, Falcon and Arrow** Interchangeable Core. For IC Core Listing see pages L119 – L120. For Keying Listing see page L129.

HEAVY DUTY CYLINDRICAL LEVERSETS WITH CLUTCH ANSI - A156.2, SERIES 4000, GRADE 1

Optional Interchangeable Core for **BEST, FALCON & ARROW**




REFER TO PRICE LIST FOR STOCK, FUNCTION AND FINISHES

FUNCTIONS	ANSI	ITEM#	FINISHES			PCS / MC
Entrance	F109	CTUB00	US26D	US1	US10BE, 26, 10, 3, 4	10
		ICCTUB00				
Entrance Push Button Lock	F82	CTUB01	US26D			
		ICCTUB01				
Store lock - Non Clutch (keyed Dbl. cyl.)	F91	TUB02	US26D			
		ICTUB02				
Classroom	F84	CTUB03	US26D			
		ICCTUB03				
Communicating (keyed Dbl. cyl.)	F80	CTUB04	US26D			
		ICCTUB04				
Storeroom	F86	CTUB05	US26D			
		ICCTUB05				
Vestibule	F88	CTUB06	US26D			
		ICCTUB06				
Classroom / Intruder	F110	CTUB07	US26D			
		ICCTUB07				
Institution (keyed Dbl. cyl.)	F87	CTUB09	US26D			
		ICCTUB09				
Privacy	F76	CTUB20	US26D			
Hospital Privacy	---	HCTUB20				
Passage	F75	TUB30				
Exit	F89	TUB50				
Single Dummy	----	TUB40	US26D			20





IC Indicates function available with Best, Falcon and Arrow Interchangeable Core. Do not include cores.
For IC Core Listing see pages L119 – L120. For Keying Listing see page L129.

HEAVY DUTY CYLINDRICAL LEVERSETS WITH CLUTCH ANSI - A156.2, SERIES 4000, GRADE 1



Optional Interchangeable Core for **BEST, FALCON & ARROW**

Optional Full Size Interchangeable Core for **SCHLAGE, SARGENT, CORBIN/RUSSWIN**



To Order: Replace "LON" with design name when ordering. Example: CLON00 Entrance in "TAC" design is CTAC00.

REFER TO PRICE LIST FOR STOCK, FUNCTION AND FINISHES

FUNCTIONS	ANSI	ITEM#	FINISHES				PCS / MC			
Entrance	F109	CLON00	US26D	US10BE, 3, 10, 4	US26	US1	US15	10		
		ICCLON00								
Entrance	F82	CLON01								
Push Button Lock		ICCLON01								
Store lock - Non Clutch (keyed Dbl. cyl.)	F91	LON02	US26D	US10BE, 3, 10, 4						
		ICLON02								
Classroom	F84	CLON03	US26D	US10BE, 3, 10, 4	US26	US1				
		ICCLON03								
Communicating (keyed Dbl. cyl.)	F80	CLON04	US26D	US10BE, 3, 10, 4	US26					
		ICCLON04								
Storeroom	F86	CLON05	US26D	US10BE, 3, 10, 4	US26	US1				
		ICCLON05								
Vestibule	F88	CLON06	US26D	US10BE, 3, 10, 4	US26					
		ICCLON06								
Classroom / Intruder	F110	CLON07	US26D	US10BE, 3, 10, 4	US26					
		ICCLON07								
Dormitory (Non-Clutch)	F90	ICLON101	US26D	US10BE, 3, 10, 4	US26	US1			US15	10
Institution (keyed Dbl. cyl.)	F87	CLON09								
		ICCLON09								
Privacy	F76	CLON20								
Hospital Privacy	---	HCLON20								
Passage	F75	LON30								
Exit	F89	LON50								
Single Dummy	----	LON40								

(IC) Indicates function available with Best, Falcon and Arrow Interchangeable Core.

(6 Pin Only) For Schlage LFIC, prefix "ICSC" before part #. Example: "CLON00" with "ICSC", will be "ICSCCLON00"

• Available in US26D functions: 00, 03, 04, 05, 06, 07, 09, 101 & US10BE functions: 00, 03, 05

(6 Pin Only) For Sargent LFIC, prefix "SARIC" before part #. Example: "CLON00" with "SARIC", will be "SARICCLON00"

(6 or 7 Pin) For Corbin / Russwin LFIC, prefix "RUSIC" before part #. Example: "CLON00" with "RUSIC", will be "RUSICCLON00"

• Available in US26D only, functions: 00, 04, 05, 06, 07, 09, 101

Do not include cores. For IC Core Listing see pages L119 – L120. For Keying Listing see page L129.

HEAVY DUTY CYLINDRICAL LEVERSETS WITH CLUTCH ANSI - A156.2, SERIES 4000, GRADE 1




Optional Full Size Interchangeable Core for **SCHLAGE**



**LIFETIME
WARRANTY**

**BHMA
CERTIFIED**
Be Safe. Be Secure. Look for the Mark.

MEETS
The Buy American Act



REFER TO PRICE LIST FOR STOCK, FUNCTION AND FINISHES

FUNCTIONS	ANSI	ITEM#	FINISHES			PCS / MC
Entrance	F109	● ICGYS00	US26D	US10BE	US3, 10, 26, 4	10
Storeroom	F86	● ICGYS05				
Classroom	F84	● ICGYS03				
Communicating (keyed Dbl. cyl.)	F80	● ICGYS04				
Vestibule	F88	● ICGYS06				
Classroom/ Intruder	F110	● ICGYS07				
Institution (keyed Dbl. cyl.)	F87	● ICGYS09				
Dormitory (Non-Clutch)	F90	● ICGYS101				

FUNCTIONS	ANSI	ITEM#	FINISHES			PCS / MC
Entrance	F109	● ICSCCAT00	US26D	US10B, 10BE	US3	10
Storeroom	F86	● ICSCCAT05				
Classroom	F84	● ICSCCAT03				
Communicating (keyed Dbl. cyl.)	F80	● ICSCCAT04				
Vestibule	F88	● ICSCCAT06				
Classroom/ Intruder	F110	● ICSCCAT07				
Institution (keyed Dbl. cyl.)	F87	● ICSCCAT09				
Dormitory (Non-Clutch)	F90	● ICSCCAT101				

FUNCTIONS	ANSI	ITEM#	FINISHES			PCS / MC
Entrance	F109	● ICSCCSPA00	US26D	US10B, 10BE	US3	10
Storeroom	F86	● ICSCCSPA05				
Classroom	F84	● ICSCCSPA03				
Communicating (keyed Dbl. cyl.)	F80	● ICSCCSPA04				
Vestibule	F88	● ICSCCSPA06				
Classroom/ Intruder	F110	● ICSCCSPA07				
Institution (keyed Dbl. cyl.)	F87	● ICSCCSPA09				
Dormitory (Non-Clutch)	F90	● ICSCCSPA101				

● (ICSC) Indicates function available with **Schlage** Full Size Interchangeable Core. **6 PIN ONLY**

Do not include cores. For IC Core Listing see page L120.

For Keying listing see page L129.

HEAVY DUTY CYLINDRICAL LEVERSETS WITH CLUTCH ANSI - A156.2, SERIES 4000, GRADE 1





Optional Full Size Interchangeable Core for **SARGENT, CORBIN/RUSSWIN, YALE**



**LIFETIME
WARRANTY**



MEETS
The Buy American Act



REFER TO PRICE LIST FOR STOCK, FUNCTION AND FINISHES

FUNCTIONS	ANSI	ITEM#			FINISHES	PCS / MC
Entrance	F109	⚙ SARICCGN00	⚙ SARICCAT00	⚙ SARICCSPA00	US26D US10B, 10BE, US3, 4, 10, 26	10
Classroom	F84	⚙ SARICCGN03	⚙ SARICCAT03	⚙ SARICCSPA03		
Communicating (keyed Dbl. cyl.)	F80	⚙ SARICCGN04	⚙ SARICCAT04	⚙ SARICCSPA04		
Storeroom	F86	⚙ SARICCGN05	⚙ SARICCAT05	⚙ SARICCSPA05		
Vestibule	F88	⚙ SARICCGN06	⚙ SARICCAT06	⚙ SARICCSPA06		
Classroom / Intruder	F110	⚙ SARICCGN07	⚙ SARICCAT07	⚙ SARICCSPA07		
Institution (keyed Dbl. cyl.)	F87	⚙ SARICCGN09	⚙ SARICCAT09	⚙ SARICCSPA09		
Dormitory (Non-Clutch)	F90	⚙ SARICGN101	⚙ SARICAT101	⚙ SARICSPA101		

FUNCTIONS	ANSI	ITEM#			FINISHES	PCS / MC
Entrance	F109	⚙ RUSICCGN00	⚙ RUSICCAT00	⚙ RUSICCSPA00	US26D US10B, 10BE, US3, 4, 10, 26	10
Classroom	F84	⚙ RUSICCGN03	⚙ RUSICCAT03	⚙ RUSICCSPA03		
Communicating (keyed Dbl. cyl.)	F80	⚙ RUSICCGN04	⚙ RUSICCAT04	⚙ RUSICCSPA04		
Storeroom	F86	⚙ RUSICCGN05	⚙ RUSICCAT05	⚙ RUSICCSPA05		
Vestibule	F88	⚙ RUSICCGN06	⚙ RUSICCAT06	⚙ RUSICCSPA06		
Classroom / Intruder	F110	⚙ RUSICCGN07	⚙ RUSICCAT07	⚙ RUSICCSPA07		
Institution (keyed Dbl. cyl.)	F87	⚙ RUSICCGN09	⚙ RUSICCAT09	⚙ RUSICCSPA09		
Dormitory (Non-Clutch)	F90	⚙ RUSICGN101	⚙ RUSICAT101	⚙ RUSICSPA101		

FUNCTIONS	ANSI	ITEM#			FINISHES	PCS / MC
Entrance	F109	⚙ YALICCGN00	⚙ YALICCAT00	⚙ YALICCSPA00	US26D US10B, 10BE, US3, 4, 10, 26	10
Classroom	F84	⚙ YALICCGN03	⚙ YALICCAT03	⚙ YALICCSPA03		
Communicating (keyed Dbl. cyl.)	F80	⚙ YALICCGN04	⚙ YALICCAT04	⚙ YALICCSPA04		
Storeroom	F86	⚙ YALICCGN05	⚙ YALICCAT05	⚙ YALICCSPA05		
Vestibule	F88	⚙ YALICCGN06	⚙ YALICCAT06	⚙ YALICCSPA06		
Classroom / Intruder	F110	⚙ YALICCGN07	⚙ YALICCAT07	⚙ YALICCSPA07		
Institution (keyed Dbl. cyl.)	F87	⚙ YALICCGN09	⚙ YALICCAT09	⚙ YALICCSPA09		
Dormitory (Non-Clutch)	F90	⚙ YALICGN101	⚙ YALICAT101	⚙ YALICSPA101		

⚙ (SARIC) Indicates function available with **Sargent** Full Size Interchangeable Core. **6 PIN ONLY**
 ⚙ (RUSIC) Indicates function available with **Corbin / Russwin** Full Size Interchangeable Core. **6 OR 7 PIN ONLY**
 ⚙ (YALIC) Indicates function available with **Yale** Full Size Interchangeable Core. **6 PIN ONLY**
 Do not include cores. For IC Core Listing see page L120. For Keying listing see page L129.

GENESYS Series

HEAVY DUTY CYLINDRICAL LEVERSETS WITH CLUTCH, ANSI - A156.2, SERIES 4000, GRADE 1

► PACKAGING INCLUDES:

- UL Listed 2 ¾" Backset, 2 ¼" x 1 ⅛" faceplate
- Standard "C", 6-pin cylinder
- ASA strike

► For 2" up to 2 ¼" Thick Door Use Part # below List

CGN214T00 - Entrance, CGN00	CGN214T05 - Storeroom, CGN05
GN214T02 - Store Lock, GN02	CGN214T09 - Institution, CGN09
CGN214T03 - Classroom, CGN03	CGN214T20 - Privacy, CGN20
CGN214T04 - Communicating, CGN04	GN214T30 - Passage, GN30
⚙ IC CGN214T00 - Entrance, IC CGN00	Available on AT , SPA & TUB Design. Use same Part No.
⚙ IC CGN214T03 - Classroom, IC CGN03	
⚙ IC CGN214T05 - Storeroom, IC CGN05	

► KEYWAYS

6-pin solid brass "C" keyway standard. Optional: Schlage E, Schlage C-K, Russwin D1-2-3-4, Corbin 59 / 60, Corbin-Russwin L4, Sargent LA-LB-LC, Falcon / Weiser E, Arrow A, Yale 8, Yale GA and Kwikset. Can also accept Medeco, Assa, Kaba and **Cal-Royal HSK** High Security Cylinders. See **page L129** for keying charges and Cylinder PART #.

⚙► IC CORE, KEYING LIST

For IC Core see pages **L119-L120**. For Keying see page **L129**.

► TACTILE / LEAD LINING

- Lead Lining Part # **LEAD**,
- Tactile Part # **TAC**, **List**.

► MOUNT

1 hole wooden mount
Part # CGNMOUNT

► ANTI MICROBIAL COATING

- Available on US26D and US32D finishes.
- Specify "**ANTB**" when ordering.

GENESYS INDCGN-20 Series





NON-CLUTCH **PRIVACY INDICATOR LEVERSET**,
ANSI A156.2, GRADE 1



**LIFETIME
WARRANTY**



MEETS
The Buy American Act



STOCK ITEM FINISH IN BOLD

NON-STOCK FINISHES AND DESIGNS AVAILABLE WITH FACTORY LEAD TIME AND SUBJECT TO MINIMUM ORDER

DESCRIPTION	ITEM #		FINISHES	PCS/ MC
	for 1 3/4" Door Thick	for 1 3/8" Door Thick		
Non-Clutch Privacy Indicator Leverset (NOTE: MUST SPECIFY DOOR THICKNESS UPON ORDERING)	INDCGN-20	INDCGN-20-138	US26D, US26, US3, US10BE, US1	10
	IND-AT-20	IND-AT-20-138		
	IND-SPA-20	IND-SPA-20-138		
	IND-TUB-20	IND-TUB-20-138		
	IND-AUG-20	IND-AUG-20-138		
	IND-DAN-20	IND-DAN-20-138		
	IND-LON-20	IND-LON-20-138		
	IND-TAC-20	IND-TAC-20-138		
	IND-ALP-20	IND-ALP-20-138		

► PACKAGING INCLUDES

- UL Listed 2 3/4" Backset, 2 1/4 x 1 1/8" faceplate
- ASA Strike