

US32D

US32D

SET

SET

SET

SDH SERIES - STAINLESS STEEL SLIDING DOOR HARDWARE


SET INCLUDES: 1 SLIDING ROD, 2 ROLLERS, 1 FLOOR GUIDE, COMPLETE MOUNTING SCREWS


OPTIONAL STOPS:DS-2200, DS-2300; OPTIONAL SOFT CLOSE SYSTEM (PREFIX SCS)

ILLUSTRATION DESCRIPTION **FINISH** UNIT

FOR WOOD DOORS

SDH1066



















| W B | Optional SCS401666 (44-88 lbs.) |
|---------|--|
| SDH1082 | Top Mount |







Top Mount with Soft Close System SCS801682 Single Wheel 8' 2" (88-176 lbs.) A B Optional SCS401682 (44-88 lbs.)





| SDH1166 | Top Mount |
|------------|------------------|
| A O | Spoke Wheel 6' 6 |
| | |






8' 2" RAIL

| SDH1182 | lop Mount | |
|------------|-------------------|---|
| A D | Spoke Wheel 8' 2" | |
| | | _ |

| SDH1482 | Top Mount with Soft Stop |
|---------|--------------------------|
| A B D | Spoke Wheel 8' 2" |





| SDH1266 | Top Mount |
|------------|--------------------------|
| A G | Dual Wheel 6' 6" |
| SDH1566 | Top Mount with Soft Stop |

| for SDH1566, SDH1582 | |
|----------------------|-----------------------|
| | SDH1282 A D |
| | |

| SDH1566 A G G | Top Mount with Soft Stop Dual Wheel 6' 6" | |
|-------------------------|--|-------|
| | | US32D |

| SDH1282 | Top Mount |
|------------|--------------------------|
| A D | Dual Wheel 8' 2" |
| SDH1582 | Ton Mount with Soft Ston |



BUILDERS HARDWARE Effective | APR 2021

SDH SERIES - STAINLESS STEEL SLIDING DOOR HARDWARE

SET INCLUDES: 1 SLIDING ROD, 2 ROLLERS, 2 STOPPERS, 1 FLOOR GUIDE AND COMPLETE MOUNTING SCREWS

OPTIONAL STOPS:DS-2200, DS-2300; OPTIONAL SOFT CLOSE SYSTEM (PREFIX SCS)

ILLUSTRATION FINISH UNIT **FOR WOOD AND GLASS DOORS** SDH2066 Surface Mount **A G** Strap Wheel 6' 6" SDH2366 Surface Mount with Soft Stop Strap Wheel 6' 6" A B C Surface Mount **Soft Close System** Strap Wheel 6' 6" (88-176 lbs.) **Optional** SCS402566 (44-88 lbs.) SCS802566 2 X DS-2200 SOFT STOP for SDH2366, SDH2382 A B US32D SFT 0 SDH2082 Surface Mount lackStrap Wheel 8' 2" SDH2382 Surface Mount Soft Stop A B D Strap Wheel 8' 2" Surface Mount **Soft Close System** Strap Wheel 8' 2" (88-176 lbs.) **Optional** SCS402582 (44-88 lbs.) SCS802582 2 X DS-2300 SOFT STOP **A B** for SDH3366, SDH3382 SDH3066 Surface Mount Strap Wheel 6' 6" **A G** SDH3366 Surface Mount Soft Stop A G G Strap Wheel 6' 6" Surface Mount **Soft Close System** Strap Wheel 6' 6" (88-176 lbs.) **Optional** SCS403566 (44-88 lbs.) SCS803566 8' 2" RAIL A B US32D SET SDH3082 Surface Mount 6' 6" RAIL WITH SOFT CLOSING MECHANISM Strap Wheel 8' 2" $\mathbf{A} \mathbf{D}$ SDH3382 Surface Mount Soft Stop $\mathbf{A} \mathbf{G} \mathbf{D}$ Strap Wheel 8' 2" 8' 2" RAIL WITH SOFT CLOSING MECHANISM Surface Mount **Soft Close System** Strap Wheel 8' 2" (88-176 lbs.) **Optional** SCS403582 (44-88 lbs.) SCS803582 **A B** SDH2166 Surface Mount A G Dual Wheel 6' 6' SDH2466 Surface Mount Soft Stop $\mathbf{A} \mathbf{B} \mathbf{G}$ Dual Wheel 6' 6" Surface Mount Soft Close System SCS802666 2 X DS-2200 SOFT STOP Dual Wheel 6' 6" (88-176 lbs.) Optional SCS402666 (44-88 lbs.) lackfor SDH2466, SDH2482 US32D SET SDH2182 Surface Mount Dual Wheel 8' 2' GLASS $oldsymbol{\Delta}$ SDH2482 Surface Mount Soft Stop A B D Dual Wheel 8' 2' WOOD 2 X DS-2300 SOFT STOP for SDH3466, SDH3482 SCS802682 Surface Mount Soft Close System Dual Wheel 8' 2" (88-176 lbs.) Optional SCS402682 (44-88 lbs. **A F** SDH3166 Surface Mount Dual Wheel 6' 6' **A G** SDH3466 Surface Mount Soft Stop $\mathbf{A} \mathbf{G} \mathbf{G}$ Dual Wheel 6' 6" 8' 2" RAIL Surface Mount **Soft Close System** Dual Wheel 6' 6" (88-176 lbs.) **Optional** SCS403666 (44-88 lbs.) SCS803666 **A B** US32D SET SDH3182 6' 6" RAIL WITH SOFT CLOSING MECHANISM Surface Mount $\mathbf{A} \mathbf{D}$ Dual Wheel 8' 2' SDH3482 Surface Mount Soft Stop 8' 2" RAIL WITH SOFT CLOSING MECHANISM $\mathbf{A} \mathbf{G} \mathbf{D}$ Dual Wheel 8' 2' Surface Mount **Soft Close System** Dual Wheel 8' 2" (88-176 lbs.) **Optional** SCS403682 (44-88 lbs.) SCS803682

A B



SDH SERIES - SLIDING DOOR HARDWARE

SET INCLUDES: 1 SLIDING ROD WITH BUILT-IN SCS80 SOFT CLOSER, 2 ACTUATORS, 2 ROLLERS, 2 STOPPERS, 1 FLOOR GUIDE AND COMPLETE MOUNTING SCREWS

| ILLUSTRATION | | ITEM NO | DESCRIPTION | FINISH | UNIT |
|-----------------------------|----------------|----------------|---|-----------------|------|
| | FOR WO | OOD DOORS | | | |
| | | SCS801666 | Top Mount with Soft Close System Single Wheel 6' 6" (88-176 lbs.) | BLACK, US10B | SET |
| | | SCS801682 | Top Mount with Soft Close System Single Wheel 8' 2" (88-176 lbs.) | BLACK, US10B | SET |
| | | SCS803566 | Surface Mount with Soft Close System Strap Wheel 6' 6" (88-176 lbs.) | BLACK, US10B | SET |
| | | SCS803582 | Surface Mount with Soft Close System Strap Wheel 8' 2" (88-176 lbs.) | BLACK, US10B | SET |
| ROLLER SET INCLUDES: 2 ROLL | ERS, 2 STOPPER | S, 1 FLOOR GUI | DE & COMPLETE MOUNTI | NG SCREV | IS |
| WOOD WOOD | | SDH10LR | Roller Set Less Rail Top Mount Single Wheel for Wood Doors | US32D | SET |
| WOOD WOOD | | SDH11LR | Roller Set Less Rail Top Mount Spoke Wheel for Wood Doors | US32D | SET |
| WOOD WOOD | | SDH12LR | Roller Set Less Rail Top Mount Dual Wheel for Wood Doors | US32D | SET |
| GLASS | | SDH20LR | Roller Set Less Rail Surface Mount Strap Wheel for Glass Doors | US32D | SET |
| Mood Care Mood | | SDH30LR | Roller Set Less Rail Surface Mount Strap Wheel for Wood Doors | US32D | SET |
| GLASS | | SDH21LR | Roller Set Less Rail Surface Mount Dual Wheel for Glass Doors | US32D | SET |
| WOOD WOOD | | SDH31LR | Roller Set Less Rail Surface Mount Dual Wheel for Wood Doors | US32D | SET |



BDH SERIES - BARN DOOR HARDWARE FOR WOOD DOORS

SET INCLUDES: 1 SLIDING TRACK, 2 ROLLERS, 2 STOPPERS, 1 FLOOR GUIDE, 2 ANTI-JUMP DISCS AND COMPLETE MOUNTING SCREWS; OPTIONAL SOFT CLOSE SYSTEM: (PREFIX SCS)

| ILLUSTRATION | ITEM NO | DESCRIPTION | FINISH | UNIT |
|--|------------|--|---------|------|
| | BDH3066 | Surface Mount Strap Wheel 6' 6" | DI ACIV | OFT. |
| | BDH3080 | Surface Mount Strap Wheel 8' 0" | BLACK | SET |
| O Ca. Ca. | SCSBDH3066 | Surface Mount Strap Wheel 6' 6" with Soft Close System | | |
| X2 0 | SCSBDH3080 | Surface Mount Strap Wheel 8' 0" with Soft Close System | — BLACK | SET |
| | BDH3166 | Top Mount Single Wheel 6' 6" | DI ACIV | CET |
| | BDH3180 | Top Mount Single Wheel 8' 0" | — BLACK | SET |
| X2 | SCSBDH3166 | Top Mount Single Wheel 6' 6" with Soft Close System | BLACK | SET |
| | SCSBDH3180 | Top Mount Single Wheel 8' 0" with Soft Close System | — BLACK | SEI |
| | BDH3266 | Surface Mount Arrowhead 6' 6" | BLACK | SET |
| | BDH3280 | Surface Mount Arrowhead 8' 0" | BLACK | SLI |
| X2 0 0. 0. | SCSBDH3266 | Surface Mount Arrowhead 6' 6" with Soft Close System | DI ACIV | SET |
| | SCSBDH3280 | Surface Mount Arrowhead 8' 0" with Soft Close System | — BLACK | SEI |
| | BDH3366 | Surface Mount Diamond 6' 6" | BLACK | SET |
| | BDH3380 | Surface Mount Diamond 8' 0" | BLACK | JL1 |
| X2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | SCSBDH3366 | Surface Mount Diamond 6' 6" with Soft Close System | DI ACIV | CET |
| | SCSBDH3380 | Surface Mount Diamond 8' 0" with Soft Close System | — BLACK | SET |
| | BDH3466 | Surface Mount Horseshoe 6' 6" | DI ACIZ | CET |
| | BDH3480 | Surface Mount Horseshoe 8' 0" | — BLACK | SET |
| | SCSBDH3466 | Surface Mount Horseshoe 6' 6" with Soft Close System | DI ACK | CET |
| X2 | SCSBDH3480 | Surface Mount Horseshoe 8' 0" with Soft Close System | — BLACK | SET |




BUILDERS HARDWARE Effective | APR 2021

BDH SERIES - BARN DOOR HARDWARE FOR WOOD DOORS

SET INCLUDES: 1 SLIDING TRACK, 2 ROLLERS, 2 STOPPERS, 2 FLOOR GUIDES, 2 ANTI-JUMP DISCS AND COMPLETE MOUNTING SCREWS; OPTIONAL SOFT CLOSE SYSTEM: (PREFIX SCS)

| | BDH3066 | Surface Mount | | |
|----------|--------------------|--|--|--|
| | | Strap Wheel 6' 6" | US15 | SET |
| | BDH3080 | Surface Mount Strap Wheel 8' 0" | | SEI |
| <u>.</u> | SCSBDH3066 | Surface Mount Strap Wheel 6' 6" with Soft Close System | LIC1E | SET |
| | SCSBDH3080 | Surface Mount Strap Wheel 8' 0" with Soft Close System | 0313 | SEI |
| | BDH3166 | Top Mount Single Wheel 6' 6" | US15 | SET |
| | BDH3180 | Top Mount Single Wheel 8' 0" | | |
| Co. | SCSBDH3166 | Top Mount Single Wheel 6' 6" with Soft Close System | 11915 | SET |
| | SCSBDH3180 | Top Mount Single Wheel 8' 0" with Soft Close System | 0313 | SLI |
| | 2 STOPPERS. 2 ANTI | SCSBDH3080 BDH3166 BDH3180 SCSBDH3166 SCSBDH3180 | SCSBDH3066 Surface Mount Strap Wheel 6' 6" with Soft Close System SCSBDH3080 Surface Mount Strap Wheel 8' 0" with Soft Close System BDH3166 BDH3180 Top Mount Single Wheel 6' 6" Top Mount Single Wheel 8' 0" Top Mount Single Wheel 6' 6" with Soft Close System Top Mount Single Wheel 6' 6" with Soft Close System | SCSBDH3066 Surface Mount Strap Wheel 6' 6" with Soft Close System SUS15 SUFFACE Mount Strap Wheel 8' 0" with Soft Close System BDH3166 BDH3180 Top Mount Single Wheel 6' 6" Top Mount Single Wheel 8' 0" Top Mount Single Wheel 6' 6" with Soft Close System US15 Top Mount Single Wheel 6' 6" with Soft Close System US15 SCSBDH3166 SCSBDH3180 SCSBDH3180 SUS15 Top Mount Single Wheel 8' 0" |





BUILDERS HARDWARE Effective | APR 2021

| SDH SERIES - ST | AINLESS STEEL | SLIDING DOOR HARDWARE ACC | ESSORI | ES |
|-----------------|---------------|--|--------|----------------|
| ILLUSTRATION | ITEM NO | DESCRIPTION | FINISH | INNER QUANTITY |
| | SDH-SPC-17ADJ | 17mm (11/16") Spacer for Adjustable Mount Plates with 80mm (3 1/6") screws and plastic anchor. Stainless Steel Material | US32D | 4 PCS PER SET |
| | SDH-SPC-13ADJ | 13mm (³³ / ₆₄ ") Spacer for Adjustable Mount Plates with 80mm (3 ½") screws and plastic anchor. Stainless Steel Material | US32D | 4 PCS PER SET |
| · • | SDH-SPC-06ADJ | 6mm (15/64") Spacer for Adjustable Mount Plates . Stainless Steel Material | US32D | 4 PCS PER SET |
| | SDH-SPC-05 | 5mm (¹³ / ₆₄ ") Spacer for Adjustable Mount Plates . PVC Material | PVC | 4 PCS PER SET |
| 0 0 | SDH-SPC-015 | 1.5mm (¹/₁6") Spacer for Adjustable Mount Plates . PVC Material | PVC | 16 PCS PER SET |
| | SDH-SPC-17FIX | 17mm (11/16") Spacer for Fixed Mount Plates with 80mm (3 1/6") screws and plastic anchor. Stainless Steel Material | US32D | 4 PCS PER SET |
| | SDH-SPC-13FIX | 13mm (33/64") Spacer for Fixed Mount Plates with 80mm (3 1/6") screws and plastic anchor. Stainless Steel Material | US32D | 4 PCS PER SET |
| · • | SDH-SPC-06FIX | 6mm (15/64") Spacer for Fixed Mount Plates . Stainless Steel Material | US32D | 4 PCS PER SET |
| | SDH-SCWD-ACT | Wood Door Actuators for SDH Soft Close System. Sold in Pairs. | US32D | 1 PAIR |
| | SDH-SCGL-ACT | Glass Door Actuators for SDH Soft Close System. Sold in Pairs. | US32D | 1 PAIR |
| | SDH-FG-WD | Wood Door Floor Guide for SDH. Stainless Steel Material. | US32D | 1 PC |
| | SDH-FG-GL | Glass Door Floor Guide for SDH. Stainless Steel Material. | US32D | 1 PC |



| | | UBA | | <u>'</u> |
|---|------------------------|---|-------------------|---------------------|
| SDH SERIES - STAINLESS ILLUSTRATION | STEEL SL ITEM NO | IDING DOOR HARDWARE ADESCRIPTION | ACCESS(FINISH | ORIES INNER QUANITY |
| | DS-1012 | Door Stop for SDH10 , SDH11 , SDH20 , and SDH30 . Sold in Pairs | US32D | 1 PAIR |
| | DS-2100 | Door Stop for SDH12 , SDH21 and SDH31 . Sold in Pairs | US32D | 1 PAIR |
| | DS-2200 | Soft Action Roller Stop for SDH10, SDH11, SDH20 and SDH21. Sold in Pairs | US32D | 1 PAIR |
| | DS-2300 | Soft Action Roller Stop for SDH12 , SDH30 and SDH31 . Sold in Pairs | US32D | 1 PAIR |
| | SDHRC | SDH Rail Connector for Interconnecting two rails together | US32D | 1 PC |
| | SCS40 (44 - 88 LBS) | SDH Soft Close System - for Replacement Only. Choose type by weight of door | US32D | 1 PAIR |
| | SCS80 (88 -176 LBS) | | US32D | 1 PAIR |
| (x4) or (x5) | SR166A | 6'6" Sliding Rod with Accessories, (4) Adjustable Mount with Spacers | US32D | 1 SET |
| | SR182A | 8'2" Sliding Rod with Accessories, (5) Adjustable Mount with Spacers | US32D | 1 SET |
| | SR166F | 6'6" Sliding Rod with Accessories, (4) Fixed Mount | US32D | 1 SET |
| (x4) or (x5) | SR182F | 8'2" Sliding Rod with Accessories, (5) Fixed Mount | US32D | 1 SET |
| (x2) | SCRAIL66 | 6'6" Rail with Accessories, Built in (2) SCS80 Soft Closer, (2) Actuators for Wood and Glass Doors, (4) Mounting Plates with screws | US32D | 1 SET |
| (x2) $(x4)$ $(x5)$ $(x5)$ $(x5)$ $(x6)$ $(x6)$ $(x7)$ $(x7)$ $(x8)$ | SCRAIL80 | 8'2" Rail with Accessories, Built in (2) SCS80 Soft Closer, (2) Actuators for Wood and Glass Doors, (5) Mounting Plates with screws | US32D | 1 SET |





| BDH SERIES - BARN DOOR HARDWARE ACCESSORIES | | | | | | |
|---|--------------|--|--------|---------------|--|--|
| ILLUSTRATION | ITEM NO | DESCRIPTION | FINISH | INNER QUANITY | | |
| | BDH-SPC-55 | 55mm (2 ³ / ₁₆ ") Barn Door Spacer | Black | 4 PCS PER SET | | |
| | BDH-SPC-50 | 50mm (2") Barn Door Spacer | Black | 4 PCS PER SET | | |
| | BDH-SPC-45 | 45mm (1 ¾") Barn Door Spacer | Black | 4 PCS PER SET | | |
| | BDH-SPC-40 | 40mm (1 ⁹ / ₁₆ ") Barn Door Spacer | Black | 4 PCS PER SET | | |
| | BDH-SPC-34 | 34mm (1 ⁵ / ₁₆ ") Barn Door Spacer | Black | 4 PCS PER SET | | |
| | BDH-SPC-29 | 29mm (1 1/8") Barn Door Spacer | Black | 4 PCS PER SET | | |
| | BDH-SCRW-130 | 130mm (5 1/2") Barn Door Mounting Screws | Black | 4 PCS PER SET | | |
| | BDH-SCRW-120 | 120mm (4 ¾") Barn Door Mounting Screws | Black | 4 PCS PER SET | | |
| | BDH-SCRW-110 | 110mm (4 ⁵ / ₁₆ ") Barn Door Mounting Screws | Black | 4 PCS PER SET | | |
| | BDH-SCRW-100 | 100mm (3 ¹⁵ / ₁₆ ") Barn Door Mounting Screws | Black | 4 PCS PER SET | | |
| | BDH-SCRW-090 | 90mm (3 ⁹ / ₁₆ ") Barn Door Mounting Screws | Black | 4 PCS PER SET | | |
| | BDHBOLT134 | Long Bolts for 1 3/4" thick doors | Black | 4 PCS PER SET | | |
| | BDHBOLT138 | Short Bolts for 1 3/8" thick doors | Black | 4 PCS PER SET | | |
| | BDHAJP | Barn Door Anti-Jump Discs. Sold in Pairs | Black | 1 PAIR | | |

| BDH SERIE | S - BARN DOOR | R HARDWARE ACCESSORIE | S | |
|-----------------------|---------------|--|--------|----------------|
| ILLUSTRATION | ITEM NO | DESCRIPTION | FINISH | INNER QUANTITY |
| | BDHSTP-OPN | Adjustable Barn Door Stoppers that can slide past the lag bolt. Sold in Pairs. | Black | 1 PAIR |
| | BDHSTP-CLS | Fixed Barn Door Stoppers to keep rollers from sliding on both ends. Sold in Pairs. | Black | 1 PAIR |
| (humun- | BDHFG | Barn Door Floor Guide | Black | 1 PC |
| | BDH-SCWD-ACT | Wood Door Actuators for BDH Soft Close System. Sold in Pairs. | Black | 1 PAIR |
| | BDHCP | Barn Door Connector Plate | Black | 1 PC |
| | BDHCP-SLIM | Slim Barn Door Connector Plate | Black | 1 PC |
| 0 (6 | SCSBDH | BDH Soft Close System for replacement only. Includes (2) Actuators and set screws. | Black | 1 PAIR |
| | BDPUL6000 | Flat Type, Barn Door Pull Handle 9 ½" x 1 ¼" x 2" | Black | 1 PC |
| 0 (x5) (x4) (x6) (x6) | FTRACK66 | 6'6" Sliding Track with Accessories, (5) Spacers and Screws, (1) Floor Guide, (2) Anti-Jump Discs and Stoppers, (4) BDHBOLT134 | Black | 1 SET |
| | FTRACK80 | 8'0" Sliding Track with Accessories, (6) Spacers and Screws, (1) Floor Guide, (2) Anti-Jump Discs and Stoppers, (4) BDHBOLT134 and BDHBOLT138 | Black | 1 SET |
| | SCBAR3066 | 6'6" Sliding Track with Accessories, (2) SCSBDH, Actuators, Stoppers, (5) Spacers and Screws, (1) Floor Guide, (2) Anti-Jump Discs, (4) BDHBOLT134 | Black | 1 SET |
| (x5) (x4) (x4) (x4) | SCBAR3080 | 8'0" Sliding Track with Accessories, (2) SCSBDH, Actuators, Stoppers, (6) Spacers and Screws, (1) Floor Guide, (2) Anti-Jump Discs, (4) BDHBOLT134 | Black | 1 SET |





| SLIDING DOOR HARDWARE ACCESSORIES FOR SDH AND BDH SERIES | | | | | | |
|--|----------------|--|---------------------------|----------------|--|--|
| ILLUSTRATION | ITEM NO | DESCRIPTION | FINISH | INNER QUANTITY | | |
| PULL-15778-BTB PULL-2815 | FFP-28 | Rectangular Mortised Door Handle for Wood Doors, Dimensions: 8" x 2 ¹ / ₁₆ ", 7 ³ / ₃₂ " CTC Door Thickness: 1 ³ / ₆ " - 1 ³ / ₄ " | US32D, BLACK | 1 PC | | |
| | PULL-2815 | Sliding Door Handle Pull for Wood Doors Door Handle Pull: 11 1/8" x 1" Rectangular Mortised Door Handle: 8" x 2 1/16" Door Thickness: 1 1/8" - 1 1/4", 7 3/32" CTC | US32D, BLACK | 1 PC | | |
| | PULL-15778-BTB | Back to Back Door Pull Handle for Wood Doors Dimensions: 11 1/8" x 1", 7 1/8" CTC Door Thickness: 1 3/8" - 1 3/4" | US32D, BLACK, US10B | 1 PC | | |
| SQP-012 PULL-60 FFP-250 | FFP-250 | Round Corner, Door Handle for Wood Doors, Dimensions: 8 ²¹ / ₃₂ " x 2 ³ / ₈ ", 7 ³ / ₃₂ " CTC Door Thickness: 1 ³ / ₈ " - 1 ³ / ₄ " | US32D | - 1 PC | | |
| | FFF-230 | | BLACK, US10B | | | |
| | PULL-60 | Sliding Door Handle Pull for Wood Doors Door Handle Pull: 11 ¹³ / ₁₆ " x 1" Round Corner Surface Mounted Door Handle: 8 ²¹ / ₃₂ " x 2 3/6" Door Thickness: 1 3/6" - 1 3/4", 7 3/ ₃₂ " CTC | US32D | 1 PC | | |
| | | | BLACK, US10B | | | |
| | SQP-012 | Back to Back Square Pull Handle for Wood Doors, Dimensions: 12" x 2 $\frac{1}{2}$ " x $\frac{25}{32}$ ", 11 $\frac{7}{32}$ " CTC Door Thickness: 1 $\frac{3}{4}$ " - 1 $\frac{3}{4}$ " | US32D, BLACK | 1 PC | | |
| FFP-200 | FFP-200 | 2" x $^{13}/_{32}$ " Round Door Handle for Wood Doors $^{5}/_{16}$ " hole diameter thru door Door Thickness: 1 $\frac{3}{4}$ " - 1 $\frac{3}{4}$ " | US32D, BLACK | 1 PC | | |
| FFP-214 | FFP-214 | 2 ³ / ₁₆ " x ¹³ / ₃₂ " Round Door Handle for Wood Doors %" hole diameter thru door Door Thickness: 1 %" - 1 ³ / ₄ " | US32D, BLACK | 1 PC | | |
| FFP-215 | FFP-215 | 2 ½" x ¹¹ / ₃₂ " Round Door Handle for Wood Doors 1 ²⁷ / ₃₂ " hole diameter thru door Door Thickness: 1 ¾" - 1 ¾" | US32D, BLACK | 1 PC | | |

SLIDING DOOR HARDWARE ACCESSORIES FOR SDH AND BDH SERIES ILLUSTRATION ITEM NO DESCRIPTION **FINISH** INNER QUANTITY Adjustable Floor Guide for both US32D pre-grooved and non-grooved wood doors. SDH-FG-ADJ1 Front Arm: 1 3/4" x 1 3/4" 1 PC Back Arm: 1 1/4" x 1" **BLACK** 0 Door Thickness: 1 3/8" - 1 3/4" Adjustable Floor Guide Roller US32D SDH-FG-ADJ8 for non-grooved wood doors. 1 PC 2"(H) x 1 9/16" (W) x 4 1/8" (L) SDH-FG-ADJ8 SDH-FG-ADJ1 Door Thickness: 13/16" - 2 3/16" **BLACK** 4 1/4" Flip Privacy US32D Sliding Door Lock **SDLFP** 1 PC with Strike Plate and Emergency Key **BLACK** Door Thickness: 1 3/8" - 1 3/4" Ю 2 1/2" x 3 3/16" Tear Drop Privacy US32D Sliding Door Lock with Strike Plate SDH-PLTD 1 PC Strike Plate: ²⁵/₃₂" x 2 ¹⁵/₁₆" SDH-PLTD US19. SDLFP Door Thickness: 1 3/8" - 1 3/4" US10B Round Rose Privacy Sliding Door Lock, with adjustable backset and push button US32D, dust proof strike SDLP-RND 1 PC US10B 1 ½" x 5%" thumbturn Door Thickness: 1 3/8" - 1 3/4" Round Rose Privacy Sliding Door Lock, with adjustable backset and push button US32D. dust proof strike 1 PC SDLP-RND-ADA US10B 2 1/2" x 5/8" ADA thumbturn Door Thickness: 1 3/8" - 1 3/4" Square Rose Privacy Sliding Door Lock, with adjustable backset and push button US32D, dust proof strike SDLP-SQ-ADA 1 PC US10B 2 %" x %" ADA thumbturn Door Thickness: 1 3/8" - 1 3/4"