



### CR441 Series

### ANSI A156.4, GRADE 1 ADA / Barrier Free Adjustable Door Closer with Full Cover





# MEETS The Buy American Act (SPECIFY MADE IN KOREA WHEN ORDERING)



ILLUSTRATION	ITEM#	DESCRIPTION	1 CASE	5 CASES	10 CASES	PCS / MC	UNIT
	CR441	Barrier free, Adjustable size 1-6 door weights 30-260 lbs (Full Cover) with Back Check	FINISHES ALUM/DURO/GOLD FINISHES BLACK			Each	
	CR441DA	Barrier free, Adjustable size 1-6 door weights 30-260 lbs with <b>Delay Action (Full Cover)</b> No Back Check	FINISHES ALUM/DURO/GOLD FINISHES BLACK		4		
	CR441DABC	Barrier free, Adjustable size 1-6 door weights 30-260 lbs (Full Cover) with Delay Action & Back Check	FINISHES ALUM/DURO/GOLD FINISHES BLACK				
	KCR441	Barrier free, Adjustable size 1-6 door weights 30-260 lbs (Full Cover) with Back Check *Made in Korea		FINISHES ALUM		прпант шос	Jeis
	KCR441DA	Barrier free, Adjustable size 1-6 door weights 30-260 lbs with <b>Delay Action (Full Cover)</b> No Back Check *Made in Korea		FINISHES ALUM	5	4	Each

PLATED AND PAINTED FINISHES					
PLATED FINISHES  US3, US26, US26D, US10B, US5, US4, US15, US10 In stock (Includes: Metal cover, full arm, screws and parallel bracket.)					
STAINLESS STEEL COVER Full Stainless Steel Cover. Suffix 32D / 15 after PART#		Each			
PAINTED	Special colors ( Allow 6-8 weeks delivery )				

#### ► PACKAGING INCLUDES

- > Parallel bracket
- > Wood screws and self-tapping machine screws
- > Full cover
- ➤ Sex bolts

#### **▶**STOCK FINISHES

- > Aluminum
- ➤ Duranodic
- ➤ Gold
- ➤ Black (L1)
- > US3, US26, US26D, US10B
- ➤ US32D Cover Only









### **CR271PC Series**


ANSI A156.4, GRADE 1, CR441 EXTRA POWERFUL HYDRAULIC DOOR CLOSER SERIES, NON-HANDED, **POCKET DOOR CLOSER APPLICATION** 







- ☑ For 180 DEGREES opening in a Pocket Door ONLY Application NOT FOR USE with conventional
- hinges or latching hardware



ITEM #	DESCRIPTION	1 CASE	5 CASES	10 CASES	PCS / MC	UNIT			
	CD444 Corios Hoorn Duty	]	FINISHE	S					
CR271PC	CR441 Series, <b>Heavy Duty Pocket Door Closer Application</b> , with higher tensioned steel spring combined with high performance hydraulic fluid. <b>(Full Cover)</b>		ALUM		4	Each			

#### ► PACKAGING INCLUDES

- ➤ Heavy Duty Double Lever Forged Steel Arm (1" longer than CR441 arm)
- ➤ Parallel bracket
- > Wood screws and self-tapping machine screws
- ➤ Full cover
- > Sex bolts







### **CR441EHO Series**

## ANSI A156.4, GRADE 1, CR441 SERIES DOOR CLOSER WITH ELECTRONIC HOLD-OPEN





ILLUSTRATION	ITEM#	DESCRIPTION	1 CASE	5 CASES	10 CASES	PCS / MC	UNIT
	CR441EHO	Adjustable 1-6 Door Body with Electronic Hold-Open Track	ALUM	FINISHES		4	Each

### **▶ PACKAGING INCLUDES**

- > Wood screws and self-tapping machine screws
- > Full cover
- ➤ Sex bolts

### ▶ PARTS & ACCESSORIES FOR CR441 SERIES

ILLUSTRATION	ITEM #	DESCRIPTION	UNIT
	CR3077SPAS	Super rigid parallel arm stopper, non-handed with stop in soffit shoe. Equivalent to <i>LCN CUSH-N-STOP</i> (CUSH) ARM	
	CR3049HOSRPS	Super rigid parallel arm stopper hold-open, non-handed with stop in soffit shoe. Handle controls hold open function. Equivalent to <i>LCN HOLD-OPEN</i> (H-CUSH) ARM	Each
	CR3077SPRING	Super rigid non-handed parallel arm with spring loaded stop in the soffit shoe. Equivalent to <i>LCN SPRING CUSH ARM</i>	
	3049HOSPRING	Super rigid parallel arm stopper hold-open, non-handed with spring loaded stop in soffit shoe. Handle controls hold-open function. Equivalent to <i>LCN SPRING H-CUSH ARM</i>	





### ▶ PARTS & ACCESSORIES FOR CR441 SERIES

ILLUSTRATION	ITEM#	DESCRIPTION	UNIT	
	CR3049HO	Non-handed hold-open arm with		
	CR3049HO L1 (BLACK)	parallel bracket. Equivalent to <i>LCN</i> 3049		
	CR3077HDAR	Non-handed parallel arm features forged, solid steel main and forearm for potentially abusive installations. Equivalent to <i>LCN 3077 EDA</i>		
	CR441EXT	Extended long arm (3" extension) for top jamb with reveals.	Each	
	TRACK441	Hold open track arm for CR441 Door Closer		
	CR441ARM	Door closer arm (Main and regular forearm)		
OTHER ACCESSO	DRIES		•	
O O O O O O O O O O O O O O O O O O O	CONCR441KIT	CR441 tandem connector sleeve nut, mounting plate and master cover		
MASTER COVER STANDARD COVER	CR441 / TNDM	1 each CONCR441 KIT 2 each of CR441 door closers	Each	





### ▶ PARTS & ACCESSORIES FOR CR441 SERIES

ILLUSTRATION	ITEM#	DESCRIPTION	UNIT
OTHER ACCESS	ORIES		
0 0 0 0 CR18PA	CR18PA	Drop plate for parallel arm mounting top rail is less than 5 ½" measured from stop. Plate requires 2" minimum top rail.	
	CR18	Drop plate used where top rail is less than 3 ¾"	
CR18G	CR18TJ	Drop plate for top jamb where face is less than 3 ½"	
°O° °O° O O O CR18TJ	CR18G	Drop plate for top jamb mounted closer flush with top of head frame face in flush ceiling condition. Plate requires 1 3/4" minimum head frame.	
	CR441PA	Parallel Arm Bracket	
	970	Sex bolts, female part only $\frac{1}{4}$ " – 20 (set of 4)	
	970138	Sex bolts for 1 ¾" doors, female part only ¼" – 20 (set of 4)	Each
PLASTIC	CR441COV	Plastic Cover Only	
STAINLESS STEEL	CR441COV PLATED FINISH	Plastic Cover only <b>US3</b>	
	CR441COV US32D	Stainless Steel Cover Only	
STEEL	CR441COVMET28	Steel Cover (Aluminum Only)	
ه الله على ا	CRWRENCH	Variable-sized hexagonal wrench for CR3049HO Arm	
	BLASS-30	Blade Stop Spacer Lower parallel arm shoe to clear ½" (13 mm) blade stop	
00	CUSSS-61	CUSH Shoe Support Provide anchorage for fifth screw used with CUSH arms where reveal is less than 3-1/16" (78 mm)	